



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D4170-1
Job Sheet 195252



Part No: D4170-1

Job Qty: 100 pcs

Part Name: Bushing



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 5/16/19

Job Tracking No:

Due Date: 9/6/19

Created By: Kimberley Guerin

Type: Stock

Description:

Note: DWG REV B IPP REV:A NEW ISSUE 10-09-22 JLM VERIFIED BY:DD IPP Rev:A 10.11.02 as per revB DD
verf:EC

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard Setup Run Hrs Hrs	Workcenter/Supplier	Sign-off
130	Purchasing	100 pcs	9/6/19	9/6/19	0.00 0.00	Purchasing - 1	
						Purchasing - 2	
						Purchasing - 3	
140	Packaging 2-1 - Receive - B4B	100 pcs	9/6/19	9/6/19	0.00 0.00	Packaging 2 - 1 - B4B	DP AUG 30 2019
						Packaging 2 - 2 - B4B	
						Packaging 2 - 3 - B4B	
						Packaging 2 - 5 - B4B	
						Packaging 2 - 4 - B4B	
						Packaging 2 - 6 - B4B	
						Packaging 2 - 7 - B4B	
						Packaging 2 - 8 - B4B	
						Packaging 2 - 9 - B4B	
						Packaging 2 - 10 - B4B	
						Packaging 2 - 11 - B4B	
						Packaging 2 - 12 - B4B	
						Packaging 2 - 13 - B4B	DP AUG 30 2019
						Packaging 2 - 14 - B4B	
						Packaging 2 - 15 - B4B	
						Packaging 2 - 16 - B4B	
						Packaging 2 - 17 - B4B	
						Packaging 2 - 18 - B4B	
						Packaging 2 - 19 - B4B	
						Packaging 2 - 20 - B4B	
						Packaging 2 - 21 - B4B	
						Packaging 2 - 22 - B4B	
						Packaging 2 - 23 - B4B	
						Packaging 2 - 24 - B4B	
						Packaging 2 - 25 - B4B	
						Packaging 2 - 26 - B4B	
						Packaging 2 - 27 - B4B	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S210491



Part: D4170-1

Job No: 195252

Serial No/Batch: S210491

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Date: 06/30/19

Plex 5/16/19 10:37 AM Dart.Guerin.Kimberley

					Packaging 2 - 28 - B4B	
					Packaging 2 - 29 - B4B	
					Packaging 2 - 30 - B4B	
					Packaging 2 - 31 - B4B	
					Packaging 2 - 32 - B4B	
					Packaging 2 - 33 - B4B	
					Packaging 2 - 34 - B4B	
					Packaging 2 - 35 - B4B	
					Packaging 2 - 36 - B4B	
150 QC 6	100 pcs	9/6/19	0.00 0.00		QC 6 - 9	
					QC 6 - 68	DAS
					QC 6 - 61	61
					QC 6 - 40	9-89
155 Skidtubes - 2 - B4B	100 pcs	9/6/19	0.00 1.00		Skidtubes - 1 - B4B	DAS
					Skidtubes - 2 - B4B	662019/09/06
					Skidtubes - 3 - B4B	9-89
					Skidtubes - 4 - B4B	
					Skidtubes - 5 - B4B	
					Skidtubes - 6 - B4B	
					Skidtubes - 7 - B4B	
160 Packaging 3-1 - Stock - B4B	100 pcs	9/6/19	0.00 0.00		Packaging 3 - 1 - B4B	
					Packaging 3 - 2 - B4B	
					Packaging 3 - 3 - B4B	
					Packaging 3 - 4 - B4B	
					Packaging 3 - 5 - B4B	
					Packaging 3 - 6 - B4B	
					Packaging 3 - 7 - B4B	
					Packaging 3 - 8 - B4B	
					Packaging 3 - 9 - B4B	
					Packaging 3 - 10 - B4B	
					Packaging 3 - 11 - B4B	
					Packaging 3 - 12 - B4B	
					Packaging 3 - 13 - B4B	
					Packaging 3 - 14 - B4B	
					Packaging 3 - 15 - B4B	
					Packaging 3 - 16 - B4B	
					Packaging 3 - 17 - B4B	
					Packaging 3 - 18 - B4B	
					Packaging 3 - 19 - B4B	
					Packaging 3 - 20 - B4B	
					Packaging 3 - 21 - B4B	
					Packaging 3 - 22 - B4B	
					Packaging 3 - 23 - B4B	
					Packaging 3 - 24 - B4B	
					Packaging 3 - 25 - B4B	
					Packaging 3 - 26 - B4B	BE
					Packaging 3 - 27 - B4B	
					Packaging 3 - 28 - B4B	
					Packaging 3 - 29 - B4B	
					Packaging 3 - 30 - B4B	
					Packaging 3 - 31 - B4B	
					Packaging 3 - 32 - B4B	
					Packaging 3 - 33 - B4B	
					Packaging 3 - 34 - B4B	
					Packaging 3 - 35 - B4B	
					Packaging 3 - 36 - B4B	
170 QC 21 - SA	100 pcs	9/6/19	0.00 0.00		QC 21 - SA - 21	DAS
					QC 21 - SA - 70	21
					QC 21 - SA - 53	9-89
						SEP 09 2019

5/16/2019

Part Op 130 - ISSUE P/O:

[Dart Hawkesbury] Job Sheet - Guerin, Kimberley

Descriptions: C OF C IS REQUIRED

SUPPLIER: E.T.M. INDUSTRIES INC. MANUFACTURE AS PER DWG

155 - Clean spacers with Ultra Bright cleaner before storing

160 - Identify as per dwg & Stock Location: 46001



170 - QC21- Final Inspection - Work Order Release ***STOCK IN SKIDTUBE CELL***

Job BOM				
Part / Item	Component Name	Quantity	Operation	Container
D4170-1P	Bushing	100 (1 ea)	130-Purchasing	5210490

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
130-Purchasing	D4170-1P	100	0	0

Part Specifications					
Spec No	Description	Target/Tolerance	Limits	Type	Special Comments
1	Spacer	3.150Inches + 0.030	3.180		
2	Spacer	0.375Inches ± 0.010	0.385		
3	Spacer	0.259Inches ± 0.010	0.365	Diameter	
			0.269	Diameter	
			0.249		

Plex 5/16/19 10:37 AM Dart.Guerin.Kimberley





D4170-1 SPACER

- NOTES:
- 1) MATERIAL: 6061-T6 OR 6061-T82 TUBING, Ø 3/8 CD X 0.059 WALL
PER WW-T-7006, AMS 4080, AMS 4082, QQ-A-2008, OR QQ-A-2258
REF DART SPEC, M6061T6T0.375W.058
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART OSI 018, UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.07lbs

B		ADD-3 (SHEET 2)		CP	10.10.25
A	REV.	NEW ISSUE	DESCRIPTION	BY	DATE
DESIGN	SC		DART AEROSPACE USA, INC.		
DRAWN			PORT HADLOCK WA		
CHECKED			D4170		
MFG. APPR.			TITLE		REV. B
APPROVED			SPACER		SHEET 1 OF 2
DE APPR.					SCALE
DATE	10.10.25				NTS

RELEASED
R 2010-11-01

THIS DOCUMENT IS UNCLASSIFIED AND IS NOT TO BE RELEASED OR DISCLOSED TO THE PUBLIC WITHOUT THE EXPRESS WRITTEN PERMISSION OF THE DART AEROSPACE USA, INC. (DART AEROSPACE USA, INC. IS A REGISTERED SERVICE MARK OF DART AEROSPACE USA, INC.)



D4170-3 SPACER

NOTES:

- 1) MATERIAL: 6061-T6 ROUND BAR, Ø 7/16 OD
PER QQ-A-225/8, QQ-A-200/8, ASTM B211, OR ASTM B221
REF DART SPEC, M6061T6R0.438
- OR
- 6061-T6 OR 6061-T62 TUBING, Ø 7/16 OD X 0.058 WALL
PER QQ-A-225/8, AMS 4080, AMS 4082, QQ-A-200/8, OR QQ-A-225/8
REF DART SPEC, M6061T6R0.438W.058
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01lbs

DESIGN	SC	DART AEROSPACE USA, INC.
DRAWN	JP	PORT HADLOCK, VA
CHECKED		
MFG. APPR.		REV. B
APPROVED		SHEET 2 OF 2
DE APPR.		SCALE
DATE	10.10.25	NTS
COPYRIGHT © 2018 BY DART AEROSPACE USA, INC. ALL RIGHTS RESERVED. NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE USA, INC.		

**PLEASE
H 2018 -11- 01**



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB043485



REVISED

Supplier: ETM001-VC
E.T.M. Industries Inc.
310 Hall Avenue, Box 610
Renfrew
ON
K7V 4E7 Canada
Phone: 613-432-6136
Fax: 613-432-8212

PO No: POHB043485
PO Date: 5/16/19
Due Date: 9/6/19
Purchase Order Revision:
Revision Date:
Ship-To Contact: Guerin, Kimberley
Phone: 613-632-5200 Ext: 298
kguerin@dartaero.com

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground
Pymt Terms: Net 30

Freight Terms:
Special Comments:

Items													
Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	195251	D3490-5P			Crossbolt Spacer : as per Dwg D3490-5P RevA	Firmed	-	9/6/19	100 Ea	0 Ea	100 Ea	\$3.45/Ea	\$345.00
Material WW-T-700/6 can be use													
2	195252	D4170-1P			Bushing : as per Dwg D4170-1P RevB	Firmed	-	9/6/19	100 Ea	0 Ea	100 Ea	\$4.50/Ea	\$450.00
3	195253	D2971P			Crossbolt Spacer : as per Dwg D2971 RevA1	Firmed	-	9/6/19	50 Ea	0 Ea	50 Ea	\$6.25/Ea	\$312.50
4	195256	D2973P			Crossbolt Spacer : as per Dwg D2973 RevA	Firmed	-	9/6/19	30 Ea	0 Ea	30 Ea	\$18.50/Ea	\$555.00
5	195257	D3504-1P			Crossbolt Spacer : as per Dwg D3504-1 RevC	Firmed	-	9/6/19	100 Ea	0 Ea	100 Ea	\$4.75/Ea	\$475.00



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB043485



Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
6	195258	D3504-3P			Crossbolt Spacer : as per Dwg D3504-3 RevC	Firmed	-	9/6/19	30 Ea	0 Ea	30 Ea	\$12.50/Ea	\$375.00
7	195259	D3662-1P			Crossbolt Spacer : as per Dwg D3662-1 RevA	Firmed	-	9/6/19	100 Ea	0 Ea	100 Ea	\$4.65/Ea	\$465.00
8	195265	D5512-1P			Crossbolt Spacer : as per Dwg D5512-1 RevA	Firmed	-	9/6/19	100 Ea	0 Ea	100 Ea	\$4.00/Ea	\$400.00
9	195264	D3286-3P			Spacer : as per Dwg D3286-3 RevA	Firmed	-	8/23/19	45 Ea	0 Ea	45 Ea	\$11.00/Ea	\$495.00
10	199400	D3286-3P			Spacer : as per Dwg D3286-3 RevA	Firmed	-	9/6/19	5 Ea	0 Ea	5 Ea	\$11.00/Ea	\$55.00
Grand Total:													\$3,927.50

Order Notes

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A008 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION SENT TO DART AEROSPACE)

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A016 PERSONNEL QUALIFICATION

A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 8/22/19 8:54 AM Dart.Guerin.Kimberley

E.T.M. INDUSTRIES INC.
310 HALL AVENUE
BOX 610
RENFREW, ON K7V 4E7
Canada

Ph: 613-432-6136

Fax: 613-432-8212

Pack List

Number: 143920

Date: 27-Aug-19

To

DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
Canada

Ship To


DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613-632-5200


Fax: 613-632-5246

Ph: 613-632-5200

Fax: 613-632-5246

Terms		Ship Via	
Net 30 days			
Quantity	Description		
100 each	Part: D4170-1P BUSHING SO: 25663 lot # 107181	Rev: B PO: POHB043485 Line: 002	DAS 61 9-89
CERTIFICATE OF COMPLIANCE: "I hereby certify that the material described above is in conformance with applicable physical and dimensional specifications; that it was manufactured in accordance with applicable process specifications, and has been inspected to verify conformance to those specifications."  APPROVED SIGNATORY (QUALITY ASSURANCE)			
RECEIVED AUG 29 2019 DART AEROSPACE LTD.			

CONTROLLED COPY



1
3.150
+0.030
-0.000

D4170-1 SPACER

RELEASED
R 2018-11-01

- NOTES:
- 1) MATERIAL: 6061-T6 OR 6061-T62 TUBING, $\phi 3/8$ OD X 0.058 WALL, PER WW-T-7006, AMS 4020, AMS 4082, QQ-A-2006, OR QQ-A-225/8
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.01 lbs

B	ADD -3 (SHEET 2)	CP	10.10.25
A	NEW ISSUE	SC	10.07.22
REV.	DESCRIPTION	BY	DATE
DESIGN	SC		
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.10.25		
DART AEROSPACE USA, INC. PORT HADLOCK, VA			
DRAWING NO. REV. B			
D4170 SHEET 1 OF 2			
TITLE SCALE			
SPACER NTS			
COPYRIGHT © 2018 BY DART AEROSPACE USA, INC. THIS DRAWING AND ALL RIGHTS THEREIN ARE RESERVED IN THE SPACES DRAWING SYSTEM AND TO THE BEST OF OUR KNOWLEDGE AND BELIEF, NO OTHER RIGHTS ARE CLAIMED.			

KAISER ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: M49399774-1		CUSTOMER PART NUMBER: 41952		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 228138	LINE ITEM: 001	SHIP DATE: 04/30/2019	KAISER LOT NUMBER: F00298040	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 779.000 LB	QUANTITY: 959.000 PCS	B/L NUMBER: 233384	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 235 WEST TUBEWAY DRIVE CAROL STREAM, IL 60188 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00298040	0001	0001	46.9	38.5	17.0	N/A	N/A	N/A
F00298040	0002	0001	46.8	38.5	17.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D3023A	.59	.29	.22	.05	.99	.10	.06	.03	.00	.00	.00	.01	.02

Applicable Requirements:

Description: OD: 0.3750"; Wall: 0.0580"; Round @
AMS4082P AMS-WW-T-700/6C ASTM B210-12
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS4082P, WAS NOT OILED.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.



Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA
(DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5
TRADE AGREEMENTS)

Plant Serial: 00031526
Kaiser Order Number: 228138
Line Item: 001

KAISER ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226




CERTIFIED TEST REPORT
<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager



AS9102 Revision B First Article Inspection
Form 1: Part Number Accountability

1. Part Number D4170-1P	2. Part Name BUSHING	3. Serial Number N/A	4. FAI Number N/A
5. Part Revision Level REV.B	6. Drawing Number D4170-1P	7. Drawing Revision Level REV.B	8. Additional Changes N/A
9. Manufacturing Process Reference 107181	10. Organization Name ETM Industries Inc.	11. Supplier Code N/A	12. P.O. Number POHBO43485 LN.002
13. Detail FAI ☒	14. Full FAI ☒	<i>Baseline Part Number including Revision Level</i>	
Assembly FAI ☐	Partial FAI ☐		
Reason for Partial FAI: Not Applicable		N/A	
a) If above part number is a detail part only, go to Field 19 b) If above part number is an assembly, go to the "Index" section below.			
INDEX of part numbers or sub assembly numbers required to make the assembly noted above.			
15. Part Number	16. Part Name	17. Part Serial Number	18. FAI Report Number
N/A	N/A	N/A	N/A

1) Signature indicates that all characteristics are accounted for; meet drawing requirements or are properly documented for disposition.

2) Also indicate if the FAI is complete per Section 5.4: ☒ FAI Complete ☐ FAI Not Complete

19. Signature BARRY DUPUIS	20. Date 8/26/19
21. Reviewed by	22. Date
23. Customer Approval	24. Date

AS9102 Revision B First Article Inspection

Form 2: Product Accountability – Raw Material, Specifications and Special Process(es),
Functional Testing

1. Part Number D4170-1P	2. Part Name BUSHING	3. Serial Number N/A		4. FAI Report Number N/A	
5. Material or Process – Name	6. Specification Number	7. Code	8. Special Process Supplier Code	9. Customer Approval Verification (Yes/No/N/A)	10. Certificate of Conformance Number
ALUMINUM	6061-T6 OR 6061-T62 TUBING, 3/8 OD X 0.058 WALL PER WW-T-700/6, AMS 4080, AMS 4082, QQ-A-200/8, OR QQ-A-225/8 REF. DART SPEC. M6061T6TO.375.058	N/A	N/A	N/A	TW METALS INC. CERT.# F00298040
11. Functional Test Procedure Number	12. Acceptance report number, if applicable				
Not Applicable	Not Applicable				
13. Comments					
14. Prepared By BARRY DUPUIS			15. Date 8/26/19		

1. Part Number D4170-1P		2. Part Name BUSHING		3. Serial Number N/A		4. FAI Report N/A	
Characteristic Accountability				Inspection / Test Results			
5. Char. No.	6. Reference Location	7. Characteristic Designator	8. Requirement	9. Results	10. Designated Tooling	11. Non Conformance Number	14. Reference Documents
1	SHT.1	N/A	3.150 +0.030/-0.000	3.162	HEIGHT GAUGE	N/A	N/A
2	SHT.1	N/A	0.058 REF.	0.057	CALIPERS	N/A	N/A
3	SHT.1	N/A	0.375 DIA.	0.375	MICROMETER	N/A	N/A
4	SHT.1	N/A	0.259 DIA.	0.260	CALIPERS	N/A	N/A
5	SHT.1	N/A	MATERIAL: ALUMINUM 6061-T6 OR 6061-T62 TUBING, 3/8 OD X 0.058 WALL PER WW-T-700/6,AMS 4080,AMS 4082,QQ-A-200/8, OR QQ-A-225/8 REF. DART SPEC. M6061T6TO.375.058	ACCEPT	TW METALS INC. CERT # F00298040	N/A	N/A
6	SHT.1	N/A	FINISH: N/A	ACCEPT	VERIFY	N/A	N/A
7	SHT.1	N/A	TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED	ACCEPT	VERIFY	N/A	N/A
8	SHT.1	N/A	UNITS: INCHES UNLESS OTHERWISE NOTED	ACCEPT	VERIFY	N/A	N/A
9	SHT.1	N/A	BREADK SHARP EDGES: 0.005 TO 0.010 MAX.	ACCEPT	VERIFY	N/A	N/A
10	SHT.1	N/A	IDENTIFICATION: N/A	ACCEPT	VERIFY	N/A	N/A
11	SHT.1	N/A	WEIGHT: 0.01 LBS.	0.018 LBS.	DIGITAL SCALE	N/A	N/A

The signature indicates that all characteristics are accounted for; meet drawing requirements or are properly documented for disposition.

12. Prepared By

BARRY DUPUIS

13. Date

8/26/19